



Specification Guide & Pricebook

EKTA MOBILE TABLES - JANUARY 2026

TABLE OF CONTENTS

Overview	1
Configurations	3
Ganging	4
Storage	6
Finish Options	7-13
Power	14
Accessories	16
Pricing	
Wood Veneer Pricing	17-18
Laminate Pricing	19-20
General Resources	21

REVISIONS

Revision Date	Description of revisions made
5/21/24	Ekta product updates released
9/5/24	Updated terms
11/1/24	Price update
1/25/25	Ganging connection update
6/1/25	New wood veneer added
10/14/25	Model numbers updated
12/16/25	Ekta pricebook format updated

OVERVIEW




Executive mobile tables with a mechanical flip-top. The 90° flip top allows table nesting for compact storage. Each table comes with 4 concealed, non-locking casters with 360° rotation.

Tables have ganging capability on three sides of table. They link together without tools and are self leveling.

Each table has two full height modesty panels. Modesty panels are located on either side of the metal base. They are mounted via hook and loop for a clean look with easy access to cable management.

Applications

Great for spaces that need to transition between mobile, conference settings, and collaborative workspaces.



Presentation

Collaboration


Conference

Need modified or custom?

For more information and special pricing on custom or modified table sizes and configurations, please contact your Nevers rep or Territory Sales Specialist.

SIZE OPTIONS

All dimensions shown are nominal.




Depth: 30" or 36"
Length: 60" or 72"
Height: 30"

FINISH OPTIONS


Top and modesty panels have the option of a standard veneer and/or laminate finish.

Top




- Standard Laminate
- Standard Veneer

Modesty



- Standard Laminate
- Standard Veneer

Bases




- Semi-gloss White
- Matte Black
- Semi-gloss Silver
- Semi-gloss Bronze
- Polished (upcharge applies)


POWER OPTIONS

Available for an additional upcharge.

- Undermount
- In-Surface



Front



Top

SPECIFICATION GUIDE

Best practices for specifying Ekta

1. Determine the functional requirements for the space.
 - What table configurations are needed? (Page 3)

For each unique table configuration:

- How many people need to fit? (Page 5)
- Do the tables need to provide power? (Page 14)
- What are the power requirements? (Page 15)

Consider storage requirements or future expansion needs. (Page 6)

2. Determine the size and quantity of tables needed.
3. Determine if Laminate or Veneer is the best fit for your tables. (Page 7)
4. Select your Top and Modesty Finish. (Pages 8-9 for Veneer & Pages 11-12 for Laminates)
5. Select your base finish. (Page 7)
6. Select your power finishes. (Page 14)
7. Build your part number based on your selections. (Pages 17-19)
8. Place your order.

SUBMITTING A PURCHASE ORDER

Please send all purchase orders to orders@nevers.com. We require a clean PO, signed drawings, and for all commercial orders a 50% deposit before the order will be scheduled and materials ordered. 50% deposit can be paid by ACH, check or credit card (credit card fees apply.)

LEAD TIMES


Lead times are scheduled from the date of approved, signed drawings and receipt of the project deposit. Some materials for “Modified” or “Custom” tables may have long or variable lead times (quartz, inset logos, AV equipment, etc.).

The lead times shown at [nevers.com/lead-times/](https://www.nevers.com/lead-times/) are general estimates for planning and not a guarantee of completion. Nevers is not responsible for delays caused by approval chains, order entry complexity, specialized finishes, or vendor supply chain stability.


The most up to date lead time information can be found at [nevers.com/lead-times/](https://www.nevers.com/lead-times/)

What customization do you need?

Custom Sizes




Custom connections



Custom connections

Additional ganging




Custom power

Location, Power unit, Connection



Custom finishes



Still Not Sure




CONTACT US!

Reach out to your Territory Sales Specialist <https://www.nevers.com/quote-request/>


CONFIGURATIONS

There are many ways to configure your Ekta tables. For maximum functionality and usage determine all the configurations your space needs. A few options for table configurations are outlined below:


Presentation Style




Unique Configuration Example*




Lecture Style



Collaboration Style



Conference Style*




*Ganging restrictions apply. Not available using all standard 30x72 or 36x60 tables.


Connection Types

Connection types outline how and where to properly align tables together to create any configuration of Ekta tables.


Depth Connections




Length Connections




Corner Connections




Depth Connections



Length Connections




Corner Connections




GANGING


How to gang tables together:



Underside of tables




1. Slide the ganging plate from one table to align with the ganging knobs on the adjacent table.




2. Tighten all knobs on both tables (4 total) by turning the ganging knobs clockwise.

Standard tables have **three sides** that allow ganging.



Each table includes:



(x2) Ganging plate locations:
Each location has one ganging plate attached with two ganging knobs.



(x2) Ganging knob locations:
Each location has two ganging knobs.


When securing multiple Ektas together ensure the connections are correctly aligned.

Top View



Ganging Knobs Ganging Plate

YES



✓ Locations with ganging knobs connect to locations with a ganging plate.

NO



Two ganging knob locations cannot be connected together.

Two ganging plate locations cannot be connected together.

CUSTOM CONNECTIONS

Examples of custom connections can be found on page 3. Contact your Territory Sales Specialist when quoting custom connections.

Additional ganging locations

For custom ganging configurations and solutions, additional ganging kits can be ordered.

Ganging Kit ([Pricing page 16](#))

Each kit comes with hardware for one ganging plate location and one ganging knob location.



Ganging Knobs x 4





Ganging Plate x 1

SEATING CAPACITY




Standard Seating

Standard sizes allow for 2 people on 1 side of an Ekta table. Nevers considers 30" of space 1 "seat".




ADA Seating

Modesty panels are easily removable to allow for ADA accessible seating on all standard sizes.




FLIPPING A TABLE

Pull the lever toward the edge of the table. While pulling the lever toward the edge of the table begin to push the tabletop up.



Continue pushing the tabletop up. (The lever can be released after the top begins to fold upward.)




Once the table is resting in the upward position it will lock in place. Now it can be stored.

*To fold top down, engage lever and lower top.




STORAGE

Each table has a flip release mechanism mounted below the worksurface that can be unlocked with one hand when not in use, allowing the table top to rotate upright 90° and be nested for easy storage (no power required.)



Total Storage Length needed:

The first table requires the length of 1 table for storage and each additional table requires an additional 4" in length.




$$TL = L + 4(\text{\# of additional tables})$$

TL = Total
storage length
for all tables

L = 1st table length

Total Storage Depth needed:

The first table requires 28.25" of storage depth and each additional table requires an additional 6.5" in depth.




$$TD = 28.25 + 6.5(\text{\# of additional tables})$$

TD = Total
storage depth
for all tables

28.25 = Storage
depth of
standard table

Total Storage Height needed:




H = Height of folded table

Standard 30"D Table
H=45"H

Standard 36"D Table
H= 48"H

FINISH OPTIONS

Top and Modesty



Tops are constructed with 1-3/16” thick wood veneer or laminate. Modesty panels are constructed with 3/4” wood veneer or laminate.

Standard grain direction for Ekta tables always runs the length of the table. Tops and modesty panels can differ in laminate and veneer finish selections on the same table.

Standard Wood Veneer

EP-201 lineal edge
3/16” solid wood edge profile



Standard Laminate

EP-105 lineal edge
Matching edge band




All wood finishes darken with age and exposure to ultraviolet light. This is more apparent with cherry and maple veneers. Veneers have a matching linear solid wood edge.

SPF Laminate or Veneer




For specialized finishes options, resources and pricing please follow the instructions found on <https://www.nevers.com/spf/> Non-standard laminates and veneers may be specified. These are subject to an upcharge.


Base Finishes



For Semi-Gloss Silver and Polished base finishes the flip-top mechanism comes in silver. All other base finishes have a black flip-top mechanism.




BK
Matte Black
Powdercoat



BZ
Semi-Gloss Bronze
Powdercoat



WT
Semi-Gloss White
Powdercoat



SV
Semi-Gloss Silver
Powdercoat



PS
Polished

Upcharge
Applies


STANDARD WOOD VENEER

Mahogany




**AM1
Ribbon Mahogany**

African Mahogany
Quarter Ribbon Cut
Slip Matched
Natural Finish




**AM2
Dark Mahogany**

African Mahogany
Plain Sliced
Book Matched
Stained Finish



**AM3
Royal Mahogany**


African Mahogany
Plain Sliced
Book Matched
Stained Finish



**AM4
Ebonized Mahogany**

African Mahogany
Plain Sliced
Book Matched
Stained Finish

Cherry



**BC1
Amber Cherry**


Cherry
Plain Sliced
Book Matched
Stained Finish

Walnut



**BW1
Natural Walnut**

American Black Walnut
Plain Sliced
Book Matched
Natural Finish




**BW2
Quartered Walnut**

American Black Walnut
Quarter Sliced
Slip Matched
Natural Finish




**BW3
American Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish




**BW4
Noble Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish




**BW5
Heritage Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish



**BW6
Midtown Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish



**BW7
Grove Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish.

PLEASE NOTE: Variations can occur in texture, color, grain pattern and finish penetration due to natural variation in species used. No guarantee can be made of an exact match due to the inherent, natural variations described.

Wood is a natural material and variations are part of its inherent beauty and are not considered defects.

STANDARD WOOD VENEER

Maple



NM1
Natural Maple
Plain sliced & slip matched
hard maple (sap-select
white) w/natural finish

White Oak



WO1
Natural Oak
Plain sliced & slip matched
white oak w/natural finish.



WO2
Natural Rift Oak
Rift cut & slip matched
white oak w/natural finish.

PLEASE NOTE: Variations can occur in texture, color, grain pattern and finish penetration due to natural variation in species used. No guarantee can be made of an exact match due to the inherent, natural variations described.

Wood is a natural material and variations are part of its inherent beauty and are not considered defects.

All wood finishes darken with age and exposure to ultraviolet light. This is more apparent with cherry and maple veneers.

For best representation of a finish shown above use a physical sample. Samples will vary from final product due to natural variations in texture, color, grain pattern and natural variations.

SPECIALIZED FINISH SERVICES (SPF) FORM

WOOD VENEER

CONTACT INFO:

First & Last Name

Company

Phone

Email

SHIP TO:

Address

☐ Residential Address

Address 2

City

State

Zip Code

1. WOOD SPECIES

- ☐ Cherry
- ☐ Mahogany
- ☐ Maple
- ☐ Oak
- ☐ Walnut
- ☐ Other (Describe in Comparison Sample)

2. VENEER CUT

- ☐ Plain Sliced (Flat Cut)
- ☐ Quarter Sliced (Quarter Cut)
- ☐ Other (Describe in Comparison Sample)

3. COMPARISON SAMPLE

Description of sample you will provide

Project Number (Optional) PO# (Optional)

Additional Information

☐ I understand natural wood veneer is a highly variable organic material to match exactly, and the solution Nevers supplies will change (patina) over time.

COMPARISON SAMPLE CONTACT INFO (IF DIFFERENT THAN CONTACT INFO AND SHIP TO):

First & Last Name

Company

Phone

Email

Address

Address 2

City



State

Zip Code

SUBMIT COMPLETED FORM TO SAMPLES@NEVERS.COM

STANDARD LAMINATE

Solid Color - Perfect Matte Finish

	L01 Snow White		L04 Pebble Grey
	L02 Breezy Beige		L05 Royal Grey
	L03 Timeless Grey		L06 Pearl Black



Solid color laminates with a Perfect Matte finish are smooth and velvety to the touch. Perfect Matte consists of a poured lacquered liquid layer with multiple intermediate layers to protect the surface and enhance the depth effect. Perfect Matte finishes are anti-fingerprinting, heat resistant and UV light resistant.

STANDARD LAMINATE

Woodgrains



L07
Lexington Oak



L08
Excelsior Oak



L09
Rushford



L10
Breckenridge Oak



L11
Afton Oak



L12
Cuyuna Walnut



L13
Granite Falls



L14
Superior Walnut



L15
Iron Wood



L16
Silver Bay



L17
Cottage Grove



PLEASE NOTE: Variations in laminate color, sheen and texture may occur from piece-to-piece dependent upon batch numbers. The color fastness or texture of any laminate can fade or darken with normal use and as a result of exposure to light. Laminates have matching

linear edge bands. For best representation of a finish shown above use a physical sample.

SPECIALIZED FINISH SERVICES FORM

LAMINATE

Laminate Manufacture

Laminate Name

Laminate Number

Finish Code

Project Number (optional)

Additional Information (optional)

CONTACT INFO:

First & Last Name*

Company

Phone

Email

SHIP TO:

Address

Address 2

City

State

Zip Code


SUBMIT COMPLETED FORM TO SAMPLES@NEVERS.COM

POWER

Power requires the selection of table location (Undermount or In-Surface), finish, and connection type. (Corded or Linking)

Standard Undermount

Ekta’s standard undermount power option uses the Wilkin 15 amp power unit with (2) outlets and (1) USB A+C. Power is UL listed and located underneath the edge of the tabletop. Overall 5-1/2” W by 1-7/8” high.



Shown in Fog Grey (FG)

Finishes




BK
Black
Corded Power: Black Power Cord



SG
Storm Grey
Corded Power: Black Power Cord




WT
White
Corded Power: White Power Cord



FG
Fog Grey
Corded Power: Black Power Cord


Standard In-Surface

Ekta’s standard in-surface power option uses the Sibley 15 amp power unit with (2) outlets and (1) USB A+C. Power is UL listed and located in the center of the tabletop. Overall 6-3/4” W by 4-3/8” deep.



Shown in Silver & White Interior (SW)

Finishes



BK
Black
Corded Power: Black Power Cord



SB
Silver Exterior & Black Interior
Corded Power: Black Power Cord



WT
White
Corded Power: White Power Cord



SW
Silver Exterior & White Interior
Corded Power: White Power Cord



Custom Power Options

Additional power resources can be found in the Nevers Power Pricebook. For alternate power selections, contact your Territory Sales Specialist for a quote. Our team can help with needs for linking power. Hardwired power can be quoted. CHICAGO: Corded power can be used on Listed freestanding furnishings in Chicago. Limitations apply.

POWER CONNECTION TYPES

CORDED OPTIONS


The corded option includes a 9' cord.




LINKING OPTIONS

Linking Tables

Every linking table includes:





A maximum of 9 power units can be linked to 1 infeed




Starter for each run of tables

Each run of linking tables requires:




Power Accessories:




How many infeeds to order:

Configuration 1



Configuration 2



*Accepts infeeds, jumpers, & power

**Only accepts infeed & jumpers

ACCESSORIES

Power

PART NUMBER	DESCRIPTION	LIST PRICE
W/PTIN/15/108	15 amp Plug Infeed with 108" Cable*	\$320
W/PTDB/SPLIT	Splitting Distribution Block	\$47
W/PTDB/LINK	Linking Distribution Block	\$47
W/PTJP/MF/60	Jumper for 60"L Table	\$138
W/PTJP/MF/72	Jumper for 72"L Table	\$151

**A maximum of 9 power units can be linked to 1 infeed.*

Ganging

PART NUMBER	DESCRIPTION	LIST PRICE
ET/GANGKIT	Ganging Kit Including (1) Ganging Plate and (4) Knobs	\$58


WOOD VENEER PRICING

Veneer tables have a 1-3/16” thick veneer top, finished top and bottom. Matching lineal edge EP-201. Matching modesty panels, (2) T-Leg bases, Flip-top mechanism with single lever, and concealed non-locking casters. Ekta Mobile Table sizes are nominal.

No Power

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/W/NP	60"	30"	30"	\$7,500	\$8,640
ET/3072/W/NP	72"	30"	30"	\$7,875	\$9,015
ET/3660/W/NP	60"	36"	30"	\$7,875	\$9,015
ET/3672/W/NP	72"	36"	30"	\$8,269	\$9,408


In-Surface Corded Power



Includes the Sibley in-surface power unit with (2) outlets and (1) USB A+C with a 9’ power cord.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/W/SC	60"	30"	30"	\$8,576	\$9,715
ET/3072/W/SC	72"	30"	30"	\$8,951	\$10,090
ET/3660/W/SC	60"	36"	30"	\$8,951	\$10,090
ET/3672/W/SC	72"	36"	30"	\$9,344	\$10,483

In-Surface Linking Power*



Includes the Sibley in-surface power unit with (2) outlets and (1) USB A+C, a jumper cable and distribution block.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/W/SL	60"	30"	30"	\$8,960	\$10,099
ET/3072/W/SL	72"	30"	30"	\$9,335	\$10,474
ET/3660/W/SL	60"	36"	30"	\$9,335	\$10,474
ET/3672/W/SL	72"	36"	30"	\$9,728	\$10,868

** Infeed required for each new run of linking tables. A maximum of 9 power units can be linked to 1 infeed.*

SPECIFYING

(WF) Wood Veneer Finish Codes (P.8)

(BF) Base Finish Codes (P.7)

(PF) Power Finish Codes (P.14)

No power

Part Number - WF - BF

Example:

ET-3060-W-NP-AM1-SV

Ekta 30”D x 60”L in Natural Ribbon Mahogany veneer with a Silver Base.

In-Surface

Part Number - WF - BF - PF

Example:

ET-3072-W-SC-BW1-SV-SW

Ekta 30”D x 72”L in-surface corded power in Natural Walnut veneer with a Silver Base. Power has a Silver Exterior and White Interior with a White cord.

Need more Info?
See How to Order, General order info, or contact us!

WOOD VENEER PRICING

Undermount Corded Power



Includes the Wilkin Undermount power unit with (2) outlets and (1) USB A+C with a 9' power cord.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/W/UC	60"	30"	30"	\$8,138	\$9,277
ET/3072/W/UC	72"	30"	30"	\$8,513	\$9,652
ET/3660/W/UC	60"	36"	30"	\$8,513	\$9,652
ET/3672/W/UC	72"	36"	30"	\$8,906	\$10,046

Undermount Linking Power*



Includes the Wilkin Undermount power unit with (2) outlets and (1) USB A+C, a jumper cable and distribution block.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/W/UL	60"	30"	30"	\$8,513	\$9,652
ET/3072/W/UL	72"	30"	30"	\$8,888	\$10,027
ET/3660/W/UL	60"	36"	30"	\$8,888	\$10,027
ET/3672/W/UL	72"	36"	30"	\$9,281	\$10,421

** Infeed required for each new run of linking tables. A maximum of 9 power units can be linked to 1 infeed.*

SPECIFYING

(WF) Wood Veneer Finish Codes (P.8)

(BF) Base Finish Codes (P.7)

(PF) Power Finish Codes (P.14)

Undermount

Part Number - WF -BF - PF

Example:

ET-3672-W-UL-AM3-BZ-WT

Ekta 36"D x 72"L undermount linking power in Royal Mahogany veneer with a Bronze Base and White power unit.

Need more Info?
See How to Order, General order info, or contact us!


LAMINATE PRICING

Laminate tables have a 1-3/16" thick laminate top, finished top and bottom. Matching lineal edge EP-110. Matching modesty panels, (2) T-Leg bases, flip-top mechanism with single lever, and concealed non-locking casters. Ekta Mobile Table sizes are nominal.

No Power

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/L/NP	60"	30"	30"	\$6,588	\$7,727
ET/3072/L/NP	72"	30"	30"	\$6,917	\$8,057
ET/3660/L/NP	60"	36"	30"	\$6,917	\$8,057
ET/3672/L/NP	72"	36"	30"	\$7,264	\$8,403


In-Surface Corded Power



Includes the Sibley in-surface power unit with (2) outlets and (1) USB A+C with a 9' power cord.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/L/SC	60"	30"	30"	\$7,663	\$8,802
ET/3072/L/SC	72"	30"	30"	\$7,993	\$9,132
ET/3660/L/SC	60"	36"	30"	\$7,993	\$9,132
ET/3672/L/SC	72"	36"	30"	\$8,339	\$9,478

In-Surface Linking Power*



Includes the Sibley in-surface power unit with (2) outlets and (1) USB A+C, a jumper cable and distribution block.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/L/SL	60"	30"	30"	\$8,047	\$9,187
ET/3072/L/SL	72"	30"	30"	\$8,377	\$9,516
ET/3660/L/SL	60"	36"	30"	\$8,377	\$9,516
ET/3672/L/SL	72"	36"	30"	\$8,723	\$9,862

* Infeed required for each new run of linking tables. A maximum of 9 power units can be linked to 1 infeed.

SPECIFYING

(LF) Laminate Finish Codes (P.11)

(BF) Base Finish Codes (P.7)

(PF) Power Finish Codes (P.14)

No Power

Part Number - LF -BF

Example:

ET-3060-L-NP-L14-PS

Ekta 30"D x 60"L in Cottage Grove laminate with a Polished Base.

In-Surface

Part Number - LF - BF - PF

Example:

ET-3072-L-SL-L07-BK-BK

Ekta 30"D x 72"L in-surface linking power in Lexington Oak laminate with a Black Base. Power has a Black Exterior and Black Interior.

Need more Info?

See How to Order, General order info, or contact us!

LAMINATE PRICING

Undermount Corded Power



Includes the Wilkin Undermount power unit with (2) outlets and (1) USB A+C with a 9' power cord.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/L/UC	60"	30"	30"	\$7,225	\$8,365
ET/3072/L/UC	72"	30"	30"	\$7,555	\$8,694
ET/3660/L/UC	60"	36"	30"	\$7,555	\$8,694
ET/3672/L/UC	72"	36"	30"	\$7,901	\$9,040

Undermount Linking Power*



Includes the Wilkin Undermount power unit with (2) outlets and (1) USB A+C, a jumper cable and distribution block.

PART NUMBER	L	D	H	LIST PRICE	POLISHED LIST PRICE
ET/3060/L/UL	60"	30"	30"	\$7,600	\$8,740
ET/3072/L/UL	72"	30"	30"	\$7,930	\$9,069
ET/3660/L/UL	60"	36"	30"	\$7,930	\$9,069
ET/3672/L/UL	72"	36"	30"	\$8,276	\$9,415

** Infeed required for each new run of linking tables. A maximum of 9 power units can be linked to 1 infeed.*

SPECIFYING

(LF) Laminate Finish Codes (P.11)

(BF) Base Finish Codes (P.7)

(PF) Power Finish Codes (P.14)

Undermount

Part Number - LF - BF - PF

Example:

ET-3660-L-UC-L09-SV-WT

Ekta 36"D x 60"L undermount corded power in Rushford Laminate with a Silver Base. Power is White with a White cord.

Need more Info?
See How to Order, General order info, or contact us!

GENERAL RESOURCES

TERMS AND CONDITIONS

For the latest version of our Terms and Conditions, please visit the Nevers website: <https://www.nevers.com/about-nevers/terms-conditions/>.

FREIGHT

All orders under \$3,000 net are subject to a minimum order charge of \$325. Nevers also reserves the right to establish a surcharge fee. This surcharge will be established at the time of quoting. All orders under \$3,000 net are subject to additional freight charges.

WARRANTY

For our warranty, please visit the Nevers website: <https://www.nevers.com/about-nevers/peace-of-mind-warranty/>

CLEANING

Cleaning Fine Wood Furniture

- **Accidental Spills:** Spilled liquids should be wiped up immediately with a soft, absorbent cloth.
- **Periodic Dusting:** Clean with a slightly damp cloth, using another soft cloth to dry. Always wipe in the direction of the wood grain. Oil, ammonia, and silicon products should never be used on wood furniture.
- **Regularly/Monthly Cleaning:** Lightly soiled areas may be cleaned with Guardsman Wood Cleaner products, following the cleaner's directions. Surfaces should be cleaned with a soft cloth, wiping in same direction as the wood grain and dried with a soft cloth. Oil, ammonia, and silicon products should never be used on wood furniture.
- **Polishing Wood Furniture:** We do not recommend the use of commercial wax or polish which may leave undesirable residues. If polishing is desired, use a polish that is silicone free such as Guardsman Wood Polish. Oil, ammonia, and silicon products should never be used on wood furniture.

Cleaning Laminate Surfaces:

- **Periodic Dusting:** Clean with slightly damp soft cloth, using another soft cloth to polish dry.
- **Regularly/Monthly Cleaning:** Lightly soiled areas may be cleaned with a soft cloth and mild liquid detergent. For stubborn stains, use a non-abrasive ammonia-based household cleanser, being sure not to get any cleanser on any wood or wood trim. Oil, ammonia, and silicon products should never be used on wood or wood trim surfaces.
- **Polishing Laminate Furniture:** We do not recommend the use of commercial wax or polish which may leave undesirable residues and possible streaking. If polishing is desired, use a laminate polish being careful not to get any polish on any attached wood trim. Oil, ammonia and silicon products should never be used on wood or wood trim surfaces.
- **Cleaning Metal and Painting Metal Surfaces:** Regular/Monthly Cleaning Lightly soiled areas may be cleaned with a soft cloth and a mild detergent.

For specific questions or for more information, please contact your Nevers rep or Nevers directly at 1-800-242-2443.

EKTA MOBILE TABLES

©2026 Nevers Industries, Inc. All rights reserved.



WEBSITE [NEVERS.COM](https://www.nevers.com) PHONE 1-800-242-2443
ADDRESS 6845 WEDGWOOD COURT N, MAPLE GROVE, MN 55311

All information presented, illustrated or depicted was correct at the time of publication. Nevers Industries, Inc. reserves the right to make additions, deletions, and alterations at any time to this documents content without prior notice.