



Specification Guide & Pricebook

VOLTEAR - AUGUST 2026

TABLE OF CONTENTS

Overview	3
Finishes	4-8
Table Overviews	9-11
Grain Direction	12
Base Specifications	13
Nesting	14
Ganging	15
Power	16-18
Table Pricing	21-24
General Resources	25

REVISIONS

Revision Date	Description of Revisions Made
---------------	-------------------------------

SPECIFICATION GUIDE

Best practices for specifying Voltair

1. Determine the functional requirements for the space.
 - How many people need to fit?
 - Does the table need to provide power?
 - What are the power requirements?
 - Determine the size table you need.
2. Select your top finish.
 - Determine if laminate or veneer is the best fit for your tables.
4. Select your base style and finish.
5. Select your power and finishes.
 - Determine if undermount or in-surface is the best fit for your tables.
6. Build your part number based on your selections.
7. Place your order.

SUBMITTING A PURCHASE ORDER

Please send all purchase orders to orders@nevers.com. We require a clean PO, signed drawings, and for all commercial orders a 50% deposit before the order will be scheduled and materials ordered. 50% deposit can be paid by ACH, check or credit card (credit card fees apply.)

LEAD TIMES


Lead times are measured from the date of approved, signed drawings and receipt of the project deposit. Some materials for “Modified” or “Custom” tables may have long or variable lead times (inset logos, etc.).

The lead times shown at [nevers.com/lead-times/](https://www.nevers.com/lead-times/) are general estimates for planning and not a guarantee of completion. Nevers is not responsible for delays caused by approval chains, order entry complexity, stain-to-match time required, or vendor supply chain stability.

The most up to date lead time information can be found at [nevers.com/lead-times/](https://www.nevers.com/lead-times/)

What customization do you need?

Custom Sizes




Custom power

Location, Power unit, Connection.



Custom finishes



Still Not Sure



CONTACT US!


Reach out to your Territory Sales Specialist <https://www.nevers.com/resources/quote-request/>

OVERVIEW



Voltear blends scale, beauty, and motion into a seamless solution for spaces requiring both high performance and refined aesthetics. It enables effortless transitions, from formal conference setups to casual training layouts, while supporting integrated power. When not in use, tables flip up and nest for compact storage.

Table Tops



Round



Square




Rectangle

Bases



Arch



Lineal

Power




Undermount



In-Surface


STANDARD WOOD VENEER

Mahogany




**AM1
Ribbon Mahogany**

African Mahogany
Quarter Ribbon Cut
Slip Matched
Natural Finish




**AM2
Dark Mahogany**

African Mahogany
Plain Sliced
Book Matched
Stained Finish



**AM3
Royal Mahogany**


African Mahogany
Plain Sliced
Book Matched
Stained Finish



**AM4
Ebonized Mahogany**

African Mahogany
Plain Sliced
Book Matched
Stained Finish


Cherry



**BC1
Amber Cherry**


Cherry
Plain Sliced
Book Matched
Stained Finish

Walnut



**BW1
Natural Walnut**

American Black Walnut
Plain Sliced
Book Matched
Natural Finish




**BW2
Quartered Walnut**

American Black Walnut
Quarter Sliced
Slip Matched
Natural Finish




**BW3
American Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish




**BW4
Noble Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish




**BW5
Heritage Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish



**BW6
Midtown Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish



**BW7
Grove Walnut**

American Black Walnut
Plain Sliced
Book Matched
Stained Finish.

PLEASE NOTE: Variations can occur in texture, color, grain pattern and finish penetration due to natural variation in species used. No guarantee can be made of an exact match due to the inherent, natural variations described.

Wood is a natural material and variations are part of its inherent beauty and are not considered defects.

STANDARD WOOD VENEER

Maple



NM1
Natural Maple
White Maple
Plain Sliced
Slip Matched
Natural Finish

White Oak



WO1
Natural Oak
White Oak
Plain Sliced
Book Matched
Natural Finish



WO2
Natural Rift Oak
White Oak
Rift Cut
Slip Matched
Natural Finish

PLEASE NOTE: Variations can occur in texture, color, grain pattern and finish penetration due to natural variation in species used. No guarantee can be made of an exact match due to the inherent, natural variations described.




Wood is a natural material and variations are part of its inherent beauty and are not considered defects.

All wood finishes darken with age and exposure to ultraviolet light. This is more apparent with cherry and maple veneers.

For best representation of a finish shown above use a physical sample. Samples will vary from final product due to natural variations in texture, color, grain pattern and natural variations.

STANDARD LAMINATE

Solid Color - Perfect Matte Finish

	L01 Snow White		L04 Pebble Grey
	L02 Breezy Beige		L05 Royal Grey
	L03 Timeless Grey		L06 Pearl Black



Solid color laminates with a Perfect Matte finish are smooth and velvety to the touch. Perfect Matte consists of a poured lacquered liquid layer with multiple intermediate layers to protect the surface and enhance the depth effect. Perfect Matte finishes are anti-fingerprinting, heat resistant and UV light resistant.

STANDARD LAMINATE

Woodgrains



L07
Lexington Oak



L13
Granite Falls



L08
Excelsior Oak




L14
Superior Walnut



L09
Rushford




L15
Iron Wood




L10
Breckenridge Oak



L16
Silver Bay



L11
Afton Oak



L17
Cottage Grove



L12
Cuyuna Walnut



PLEASE NOTE: Variations in laminate color, sheen and texture may occur from piece-to-piece dependent upon batch numbers. The color fastness or texture of any laminate can fade or darken with normal use and as a result of exposure to light. Laminates have matching linear edgebands.


For best representation of a finish shown above use a physical sample.

Laminates with simulated wood grain and/or texture will run the length of the table. Nevers cannot guarantee a grain match at the table seams.

METAL BASE FINISHES




BK
Matte Black
Powdercoat



BZ
Semi-Gloss Bronze
Powdercoat



WT
Semi-Gloss White
Powdercoat



SV
Semi-Gloss Silver
Powdercoat




PS
Polished
* Upcharge Applies - Not available on Linear bases.

TABLE TOP EDGE DETAILS

Standard Wood Veneer

Wood veneer tops are 1-3/16” thick. Tables are finished on both sides with Grade A veneer.



EP-201 lineal edge
3/16” solid wood


Standard Laminate

Laminate tops are 1-1/8” thick. Tables are finished on both sides with same laminate.




EP-105 lineal edge
Matching edgeband


ROUND TABLE OVERVIEW



SQUARE TABLE OVERVIEW




RECTANGLE TABLE OVERVIEW





GRAIN DIRECTION

Tables are finished on both sides. Veneer tables feature Grade A veneer on both the top and underside. Laminate tables have the same laminate on both the top and underside.



BASE SPECIFICATIONS

Dimensions



Placement






Table Length	A	B
42"	9"	24"
48"	12"	24"
54"	12"	30"
60"	15"	30"
72"	15"	42"
78"	15"	48"
84"	15"	54"
90"	15"	60"
96"	15"	66"

Wire Management Mouseholes


Optional wire management mouseholes can be specified in the vertical columns on the bases. When specified, a cutout is included in the column below the top plate and above the footplate.




NESTING

Tables can be nested together for storage when placed in the upright position. Kickstand holds table in the upright position. Bumpers prevent damage to the table top when nested.


- Storage Depth = Mainbar length + (# of tables -1) x 13.25"
- Storage Width = Table width + (# of tables -1) x 2.25"
- Maximum Storage Width = Table width + 6.75" (table 5 aligns with table 1)



Dimensions




Arch Base




Lineal Base

Flipped-Up Heights




GANGING

Optional ganging plates can be specified to connect tables together in multiple configurations. Each ganging plate includes one plate and four knobs. Ganging tables should always be the same depth.




Locations

Square Tables



Ganging plate is centered on each side.


Rectangle Tables




One ganging plate is centered on each short side. Long sides receive two ganging plates.

Configuration Examples


Presentation Style




Conference Style



Training Style



Collaboration Style



* This configuration can only be achieved with all 42" x 84" or all 48" x 96" tables.

IN-SURFACE POWER

Sibley

Sibley is retractable and durably constructed, featuring a highly functional, one touch door that remains open during use. Sibley has a powdercoated aluminum finish, and a durable construction that makes it as design friendly as it is powerful.



Available finishes



Black (BK)



White (WT)




Silver w/Black Interior (SB)



Silver w/White Interior (SW)

Configurations




- (2) Power outlets
- (1) USB A+C charging ports
- (1) Open port for IT/AV connection*




- (2) Power outlets
- (1) Dual USB-C (45 watt)
- (1) Open port for IT/AV connection*

Locations and Quantities


Maximum quantity of one power unit per table, center location only.



All Round Sizes



All Square Sizes



All Rectangle Sizes

UNDERMOUNT POWER

Wilkin

With its solid faceplate construction and simple block profile, Wilkin is charged with clean, modern energy. Wilkin undermount mounts easily to the edge of your table top, and is perfect for charging all your devices.



Available finishes




Configuration



- (2) Power outlets
- (1) USB-A+C charging ports

Locations and Quantities



*Undermount power may not be accessible in certain table configurations.

POWER KITS

Wilkin Power Kit Components

15 Amp Circuit Breaker Plug Infeed




*Infeed comes standard with 90 degree plug head. Not compatible with all floor cores.

Male/Female Jumper



Power Unit




Distribution Block




*Distribution block is shown as grey for diagram only. Actual distribution block is white in color.

White Distribution Block Connections




Jumper ← Infeed or Jumper
Power Unit ← Jumper

Wiring Diagram





Restrictions

Power components should not be installed to the table top in the area where the structural metal frame is located.



ROUND TABLE



				ARCH BASE		LINEAL BASE	
							
				"AS"	"AP"	"LA"	"LP"
PART NUMBER	L	D	H	STANDARD	POLISHED	STANDARD	POLISHED
VENEER TOP							
VO/TA/04242/W/??	42"	42"	29"	\$8,727	\$9,269	\$8,902	N/A
VO/TA/04848/W/??	48"	48"	29"	\$9,487	\$10,029	\$9,662	N/A
VO/TA/05454/W/??	54"	54"	29"	\$10,344	\$10,887	\$10,520	N/A
VO/TA/06060/W/??	60"	60"	29"	\$11,302	\$11,844	\$11,478	N/A
LAMINATE TOP							
VO/TA/04242/L/??	42"	42"	29"	\$6,262	\$6,804	\$6,438	N/A
VO/TA/04848/L/??	48"	48"	29"	\$6,376	\$6,918	\$6,551	N/A
VO/TA/05454/L/??	54"	54"	29"	\$6,489	\$7,031	\$6,664	N/A
VO/TA/06060/L/??	60"	60"	29"	\$6,604	\$7,146	\$6,780	N/A

IN-SURFACE POWER

PART NUMBER	OUTLETS	USB TYPE	OPEN PORT	PRICE
VO/PLMO1/108	2	USB-A+C	1	\$1,248
VO/PLMO2/108	2	Dual USB-C	1	\$1,368

(1) 108" long 15 Amp plug cord.

UNDERMOUNT POWER KITS

PART NUMBER	POWER UNITS	BLOCKS	JUMPERS	PRICE
VO/PTDN2/18/2	2	2	1	\$1,999
VO/PTDN2/18/4	4	4	3	\$3,793

Includes (1) 72" long 15 Amp plug infeed.


WIRE MANAGEMENT MOUSEHOLES


PART NUMBER	PRICE
VO/WMMH	\$60

Wire management mouseholes price is for (2) holes in (1) column, top and bottom.

To order, replace "??" with SA for Standard Arch base, PA for Polished Arch base or SL for Standard Lineal base.

SQUARE TABLE



				ARCH BASE		LINEAL BASE	
							
				"AS"	"AP"	"LS"	"LP"
PART NUMBER	L	D	H	STANDARD	POLISHED	STANDARD	POLISHED
VENEER TOP							
VO/TS/04242/W/??	42"	42"	29"	\$8,758	\$9,300	\$8,933	N/A
VO/TS/04848/W/??	48"	48"	29"	\$9,522	\$10,064	\$9,698	N/A
VO/TS/05454/W/??	54"	54"	29"	\$10,404	\$10,947	\$10,580	N/A
LAMINATE TOP							
VO/TS/04242/L/??	42"	42"	29"	\$6,064	\$6,607	\$6,240	N/A
VO/TS/04848/L/??	48"	48"	29"	\$6,087	\$6,629	\$6,262	N/A
VO/TS/05454/L/??	54"	54"	29"	\$6,111	\$6,653	\$6,287	N/A

IN-SURFACE POWER

PART NUMBER	OUTLETS	USB TYPE	OPEN PORT	PRICE
VO/PLMO1/108	2	USB-A+C	1	\$1,248
VO/PLMO2/108	2	Dual USB-C	1	\$1,368

(1) 108" long 15 Amp plug cord.

UNDERMOUNT POWER KITS

PART NUMBER	POWER UNITS	BLOCKS	JUMPERS	PRICE
VO/PTDN2/18/2	2	2	1	\$1,999
VO/PTDN2/18/4	4	4	3	\$3,793

Includes (1) 72" long 15 Amp plug infeed.

WIRE MANAGEMENT MOUSEHOLES

PART NUMBER	PRICE
VO/WMMH	\$60

Wire management mouseholes price is for (2) holes in (1) column, top and bottom.

GANGING PLATES


PART NUMBER	NUMBER OF PLATES	PRICE
VO/GANG/SQ	2	\$116

Each ganging plate includes one plate and four knobs.

To order, replace "??" with SA for Standard Arch base, PA for Polished Arch base or SL for Standard Lineal base.

RECTANGLE TABLE



				ARCH BASE		LINEAL BASE	
							
				"AS"	"AP"	"LS"	"LP"
PART NUMBER	L	D	H	STANDARD	POLISHED	STANDARD	POLISHED
VENEER TOP							
VO/TC/04272/W/??	42"	72"	29"	\$10,564	\$11,107	\$10,740	N/A
VO/TC/04278/W/??	42"	78"	29"	\$10,922	\$11,464	\$11,098	N/A
VO/TC/04284/W/??	42"	84"	29"	\$11,311	\$11,853	\$11,487	N/A
VO/TC/04290/W/??	42"	90"	29"	\$11,669	\$12,211	\$11,844	N/A
VO/TC/04296/W/??	42"	96"	29"	\$12,024	\$12,567	\$12,200	N/A
VO/TC/04872/W/??	48"	72"	29"	\$11,169	\$11,711	\$11,344	N/A
VO/TC/04878/W/??	48"	78"	29"	\$11,607	\$12,149	\$11,782	N/A
VO/TC/04884/W/??	48"	84"	29"	\$12,016	\$12,558	\$12,191	N/A
VO/TC/04890/W/??	48"	90"	29"	\$12,422	\$12,964	\$12,598	N/A
VO/TC/04896/W/??	48"	96"	29"	\$12,829	\$13,371	\$13,004	N/A
LAMINATE TOP							
VO/TC/04272/L/??	42"	72"	29"	\$6,122	\$6,664	\$6,298	N/A
VO/TC/04278/L/??	42"	78"	29"	\$6,133	\$6,676	\$6,309	N/A
VO/TC/04284/L/??	42"	84"	29"	\$6,144	\$6,687	\$6,320	N/A
VO/TC/04290/L/??	42"	90"	29"	\$6,158	\$6,700	\$6,333	N/A
VO/TC/04296/L/??	42"	96"	29"	\$6,169	\$6,711	\$6,344	N/A
VO/TC/04872/L/??	48"	72"	29"	\$6,133	\$6,676	\$6,309	N/A
VO/TC/04878/L/??	48"	78"	29"	\$6,144	\$6,687	\$6,320	N/A
VO/TC/04884/L/??	48"	84"	29"	\$6,158	\$6,700	\$6,333	N/A
VO/TC/04890/L/??	48"	90"	29"	\$6,169	\$6,711	\$6,344	N/A
VO/TC/04896/L/??	48"	96"	29"	\$6,180	\$6,722	\$6,356	N/A

To order, replace "??" with SA for Standard Arch base, PA for Polished Arch base or SL for Standard Lineal base.

RECTANGLE TABLE



IN-SURFACE POWER

PART NUMBER	OUTLETS	USB TYPE	OPEN PORT	PRICE
VO/PLMO1/108	2	USB-A+C	1	\$1,248
VO/PLMO2/108	2	Dual USB-C	1	\$1,368

(1) 108" long 15 Amp plug cord.

UNDERMOUNT POWER KITS

PART NUMBER	POWER UNITS	BLOCKS	JUMPERS	PRICE
VO/PTDN2/18/2	2	2	1	\$1,999
VO/PTDN2/18/4	4	4	3	\$3,793

Includes (1) 72" long 15 Amp plug infeed.

WIRE MANAGEMENT MOUSEHOLES

PART NUMBER	PRICE
VO/WMMH	\$60

Wire management mouseholes price is for (2) holes in (1) column, top and bottom.

GANGING PLATES

PART NUMBER	NUMBER OF PLATES	PRICE
VO/GANG/RC	3	\$174

Each ganging plate includes one plate and four knobs.

GENERAL RESOURCES

TERMS AND CONDITIONS

For the latest version of our Terms and Conditions, please visit the Nevers website: <https://www.nevers.com/about-nevers/terms-conditions/>.

FREIGHT

All orders under \$3,000 net are subject to a minimum order charge of \$325. Nevers also reserves the right to establish a surcharge fee. This surcharge will be established at the time of quoting. All orders under \$3,000 net are subject to additional freight charges.

WARRANTY

For our warranty, please visit the Nevers website: <https://www.nevers.com/about-nevers/peace-of-mind-warranty/>

CLEANING

Cleaning Fine Wood Furniture

- **Accidental Spills:** Spilled liquids should be wiped up immediately with a soft, absorbent cloth.
- **Periodic Dusting:** Clean with a slightly damp cloth, using another soft cloth to dry. Always wipe in the direction of the wood grain. Oil, ammonia, and silicon products should never be used on wood furniture.
- **Regularly/Monthly Cleaning:** Lightly soiled areas may be cleaned with Guardsman Wood Cleaner products, following the cleaner's directions. Surfaces should be cleaned with a soft cloth, wiping in same direction as the wood grain and dried with a soft cloth. Oil, ammonia, and silicon products should never be used on wood furniture.
- **Polishing Wood Furniture:** We do not recommend the use of commercial wax or polish which may leave undesirable residues. If polishing is desired, use a polish that is silicone free such as Guardsman Wood Polish. Oil, ammonia, and silicon products should never be used on wood furniture.

Cleaning Laminate Surfaces:

- **Periodic Dusting:** Clean with slightly damp soft cloth, using another soft cloth to polish dry.
- **Regularly/Monthly Cleaning:** Lightly soiled areas may be cleaned with a soft cloth and mild liquid detergent. For stubborn stains, use a non-abrasive ammonia-based household cleanser, being sure not to get any cleanser on any wood or wood trim. Oil, ammonia, and silicon products should never be used on wood or wood trim surfaces.
- **Polishing Laminate Furniture:** We do not recommend the use of commercial wax or polish which may leave undesirable residues and possible streaking. If polishing is desired, use a laminate polish being careful not to get any polish on any attached wood trim. Oil, ammonia and silicon products should never be used on wood or wood trim surfaces.
- **Cleaning Metal and Painting Metal Surfaces:** Regular/Monthly Cleaning Lightly soiled areas may be cleaned with a soft cloth and a mild detergent.

For specific questions or for more information, please contact your Nevers rep or Nevers directly at 1-800-242-2443.

VOLTEAR

©2026 Nevers Industries, Inc. All rights reserved.



WEBSITE [NEVERS.COM](https://www.nevers.com) PHONE 1-800-242-2443
ADDRESS 6845 WEDGWOOD COURT N, MAPLE GROVE, MN 55311

All information presented, illustrated or depicted was correct at the time of publication. Nevers Industries, Inc. reserves the right to make additions, deletions, and alterations at any time to this documents content without prior notice.